

Fig. 1

10




Fig. 2

200

203  
EVENT\_MONITOR\_ID=nyc0tek99:20000829155959487:3300|~BASIC\_EVENTS|SUBSCRIBER\_MDN=6095585347|  
209|\*|211|\*|213|\*|217|\*|219|\*|  
IN\_SPAN=67|EVENT\_CLASS\_ID=20|CDR\_CALL\_SEQ\_NMBR=nyc200008290000944C|RESERVED|RESERVED|  
221|\*|223|\*|225|\*|227|\*|229|\*|231|\*|233|\*|235|\*|  
IN\_CHANNEL=4|RESERVED|OUT\_CHANNEL=21|RESERVED|RESERVED|MARKET\_ID=184|SITE\_ID=nyc|LCA\_ID=0|  
237|\*|239|\*|241|\*|243|\*|  
CARRIER\_ID=79|DATA\_SOURCE\_ID=2|EVENT\_START\_TIME=967579199|OPERATOR\_LOGIN\_ID=00140|  
245|\*|247|\*|249|\*|  
EVENT\_START\_TIME\_GMT\_OFFSET=-14400|EVENT\_TYPE\_ID=23|OUT\_SPAN=023

Fig. 3

CONNECTED TO  
DATA NETWORK 24




Fig. 4





Fig. 5



0077064 020504

Fig. 6

600




Fig. 7

700




Fig. 8

800




Fig. 9

900

